

CITY OF CASHMERE

Cashmere, Washington

STORM DRAINAGE SYSTEM STANDARD DETAILS

SHEET INDEX

DESCRIPTION	WSDOT STD PLAN	DESCRIPTION	WSDOT STD PLAN
COVER	SDDT00	TRENCH DETAIL	SDDT12
STORM DRAINAGE WSDOT/APWA STANDARD PLANS INDEX	SDDT01		

CONTACT INFORMATION	
CITY OF CASHMERE 101 WOODRING STREET CASHMERE, WA 98815 PHONE: 509-782-3513 FAX: 509-782-2840	CALL 48 HOURS BEFORE YOU DIG ONE CALL REPORT ALL SPILLS DEPT. OF ECOLOGY 1-800-258-5990

ABBREVIATIONS

CB	CATCH BASIN	GALV	GALVANIZED	PROP	PROPOSED
CONC	CONCRETE	HDPE	HIGH-DENSITY POLYETHYLENE	PSI	POUNDS PER SQUARE INCH
CL	CONSTRUCTION CENTERLINE	HMA	HOT MIXED ASPHALT	PVC	POLYVINYL CHLORIDE
CSBC	CRUSHED SURFACING BASE COURSE	ID	INSIDE DIAMETER	SPEC	SPECIFICATIONS
CSTC	CRUSHED SURFACING TOP COURSE	IE	INVERT ELEVATION	SS	SANITARY SEWER
DI	DUCTILE IRON	J-BOX	JUNCTION BOX	SSMH	SANITARY SEWER MANHOLE
DIAM	DIAMETER	LF	LINEAR FEET	SST	STAINLESS STEEL
DWG	DRAWING	MH	MANHOLE	STD	STANDARD
E	EASTING	MJ	MECHANICAL JOINT FITTING	STL	STEEL
EG	EXISTING GROUND	NO	NUMBER	TEL	TELEPHONE
ELEV	ELEVATION	OC	OFF CENTER	TEMP	TEMPORARY
EX	EXISTING	OD	OUTSIDE DIAMETER	TYP	TYPICAL
EW	EVEN WIDTH	P	POWER	WSDOT	WASHINGTON STATE DEPARTMENT OF TRANSPORTATION
FG	FINISHED GRADE	PE	PLAIN END		

DEVELOPED BY RH2 ENGINEERING, INC.



City of Cashmere
 101 Woodring St
 509 782-3513
 Fax 509 782-2840

STORM DRAINAGE STANDARD DETAIL

COVER

FILE: CA-SSDT00	REVISED: 2/20/2015	DETAIL NO.: SSDT00
-----------------	--------------------	--------------------

STORM DRAINAGE WSDOT/APWA STANDARD PLANS INDEX

THE LATEST VERSION OF THE FOLLOWING STANDARD PLANS FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION, WSDOT/APWA, ARE MADE A PART OF THE CITY OF CASHMERE STORM DRAINAGE STANDARD PLANS.

PLAN SHEET	WSDOT STANDARD PLAN
B-5.20-01	Catch Basin Type 1
B-5.40-01	Catch Basin Type 1L
B-5.60-01	Catch Basin Type 1P (for Parking Lot)
B-10.20-01	Catch Basin Type 2
B-15.20-01	Manhole Type 1
B-15.40-01	Manhole Type 2
B-15.60-01	Manhole Type 3
B-20.20-02	Drywell Type 1 (for Swale)
B-20.40-03	Drywell Type 2 (with Pipe Inlet)
B-20.60-03	Drywell Type 3 (with At-Grade Inlet)
B-30.10-01	Rectangular Frame (Reversible)
B-30.20-02	Rectangular Solid Metal Cover
B-30.30-01	Rectangular Vaned Gate
B-30.40-01	Rectangular Bi-Directional Vaned Gate
B-30.70-03	Circular Frame (Ring) and Cover
B-30.80-00	Circular Grate
B-30.90-01	Miscellaneous Details for Drainage Structures
B-55.20-00	Pipe Zone Bedding and Backfill
B-60.20-00	Connection Details for Dissimilar Culvert Pipe
B-60.40-00	Coupling Bands for Corrugated Metal Pipe
B-70.20-00	Beveled End Sections (for Culverts 30" Diameter or Less)



City of Cashmere

101 Woodring St
509 782-3513
Fax 509 782-2840

STORM DRAINAGE STANDARD DETAIL

**STORM DRAINAGE WSDOT/APWA
STANDARD PLANS INDEX**

FILE: CA-SDDT01

REVISED: 2/20/2015

DETAIL NO.: SDDT01

REVISION HISTORY

2/20/2015

UPDATED STANDARD DETAIL FORMATTING, MADE MINOR EDITS PER CITY COMMENTS; ADDED NEW COVER SHEET, REVISION SHEET AND FULL SIZE DRAWINGS WITH EIGHT (8) DETAILS ON EACH.



City of Cashmere

101 Woodring St
509 782-3513
Fax 509 782-2840

STORM DRAINAGE STANDARD DETAIL

REVISION HISTORY

FILE:CA-SDDT-REVHIST.DWG

REVISED: 2/20/2015

DETAIL NO.: SDDT-REVHIST